

**UTAH DEPARTMENT OF ENVIRONMENTAL QUALITY  
DIVISION OF RADIATION CONTROL**

**Short Term Radon Test Results by County and ZIP Code  
as of June 2019**

The data is informational only and should not be used for the purpose of determining where one should test nor where radon control systems should be incorporated in new home construction.

**BEAVER**

ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84713	25.0%	75.0%	0.0	43.3	388
84731	100.0%	0.0%	2.9	2.4	3
84751	70.6%	29.4%	13.1	3.7	17
84752	20.0%	80.0%	25.9	9.4	15
<b>Beaver</b>	<b>27.2%</b>	<b>72.8%</b>	<b>664.0</b>	<b>40.2</b>	<b>423</b>

**BOX ELDER**

ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84301	100.0%	0.0%	3.7	2.7	3
84302	41.0%	59.0%	81.1	8.0	532
84306	50.0%	50.0%	17.8	6.5	10
84307	100.0%	0.0%	2.8	1.6	5
84309	15.4%	84.6%	43.9	14.6	13
84311	50.0%	50.0%	20.1	7.6	6
84312	58.5%	41.5%	10.4	3.6	41
84314	35.3%	64.7%	20.1	7.2	17
84316	0.0%	100.0%	4.6	4.6	1
84324	34.8%	65.2%	90.4	12.5	46
84329	100.0%	0.0%	2.7	2.7	1
84330	100.0%	0.0%	0.8	0.8	1
84331	0.0%	100.0%	8.5	8.5	1
84334	60.0%	40.0%	11.1	4.2	5
84337	61.0%	39.0%	24.9	4.1	77
84340	33.3%	66.7%	20.3	6.0	72
<b>Box Elder</b>	<b>43.1%</b>	<b>56.9%</b>	<b>90.4</b>	<b>7.5</b>	<b>831</b>

**CACHE**

ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84304	50.0%	50.0%	10.6	7.3	2
84305	33.3%	66.7%	11.8	7.6	3
84308	100.0%	0.0%	2.4	2.4	1
84318	31.4%	68.6%	67.5	8.0	191
84319	51.8%	48.2%	32.6	5.8	141
84320	55.6%	44.4%	14.8	5.6	36
84321	55.4%	44.6%	112.6	6.1	1218
84322	72.7%	27.3%	31.8	5.1	11
84323	66.7%	33.3%	19.2	5.4	24
84325	42.9%	57.1%	48.9	6.2	84
84326	30.6%	69.4%	86.2	8.0	62
84327	44.4%	55.6%	10.7	5.2	9
84328	25.9%	74.1%	67.6	11.0	81
84332	35.1%	64.9%	87.0	8.6	356
84333	53.8%	46.2%	25.4	5.1	65
84335	54.3%	45.7%	43.5	5.8	403
84338	100.0%	0.0%	1.7	1.3	4
84339	33.9%	66.1%	152.5	15.3	177
84341	49.5%	50.5%	89.0	6.5	604
<b>Cache</b>	<b>48.3%</b>	<b>51.7%</b>	<b>152.5</b>	<b>7.0</b>	<b>3472</b>

CARBON					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84501	68.2%	31.8%	280.0	5.2	151
84520	77.8%	22.2%	4.2	2.2	9
84526	88.0%	12.0%	4.9	2.0	25
84529	100.0%	0.0%	1.6	1.6	1
84542	39.1%	60.9%	16.5	7.9	23
Carbon	67.9%	32.1%	280.0	5.0	209
DAGGETT					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84023	100.0%	0.0%	1.0	0.9	3
84046	100.0%	0.0%	3.3	1.0	19
Daggett	100.0%	0.0%	3.3	1.0	22
DAVIS					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84010	57.0%	43.0%	215.0	5.7	1358
84011	73.9%	26.1%	12.8	3.5	23
84014	42.8%	57.2%	101.2	7.6	544
84015	90.2%	9.8%	49.8	2.2	562
84016	88.9%	11.1%	6.3	1.7	9
84025	54.5%	45.5%	63.7	5.1	508
84037	79.6%	20.4%	77.2	3.2	680
84040	80.5%	19.5%	208.3	3.4	478
84041	85.9%	14.1%	41.1	2.6	418
84054	78.7%	21.3%	64.0	3.4	314
84056	100.0%	0.0%	2.2	1.3	11
84075	85.3%	14.7%	9.6	2.4	265
84087	62.7%	37.3%	61.7	5.7	308
84089	50.0%	50.0%	7.7	3.7	4
Davis	69.2%	31.0%	215.0	4.4	5482
DUCHESNE					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84001	100.0%	0.0%	3.2	1.5	3
84007	66.7%	33.3%	5.4	2.8	3
84021	77.8%	22.2%	67.7	6.8	27
84027	33.3%	66.7%	31.1	20.8	3
84031	0.0%	100.0%	45.1	28.7	3
84051	100.0%	0.0%	1.6	1.6	1
84052	80.0%	20.0%	39.5	5.9	15
84053	100.0%	0.0%	1.4	1.0	3
84066	73.5%	26.5%	67.9	5.0	83
84072	94.7%	5.3%	5.3	1.1	19
84073	100.0%	0.0%	2.0	0.8	8
Duchesne	77.4%	22.6%	67.9	5.3	168
EMERY					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84513	40.0%	60.0%	5.8	4.8	5
84518	55.6%	44.4%	7.8	3.7	9
84522	100.0%	0.0%	3.7	2.8	2
84523	60.0%	40.0%	5.7	3.0	5
84525	100.0%	0.0%	3.2	1.5	5
84528	64.3%	35.7%	28.8	4.9	14
84537	100.0%	0.0%	1.2	1.2	1
Emery	65.9%	34.1%	28.8	3.8	41

GARFIELD						
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests	
84712	0.0%	100.0%	7.8	7.8	1	
84716	100.0%	0.0%	3.9	2.4	5	
84718	100.0%	0.0%	0.8	0.8	1	
84726	66.7%	33.3%	13.8	4.3	9	
84735	50.0%	50.0%	20.5	7.7	4	
84736	100.0%	0.0%	2.8	2.8	1	
84759	48.1%	51.9%	32.1	7.2	27	
84776	100.0%	0.0%	3.5	3.5	1	
Garfield	59.2%	40.8%	32.1	6.0	49	
GRAND						
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests	
84532	88.0%	12.0%	44.5	2.6	133	
Grand	88.0%	12.0%	44.5	2.6	133	
IRON						
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests	
84719	100.0%	0.0%	0.8	0.8	1	
84720	88.2%	11.8%	19.6	2.2	347	
84721	75.0%	25.0%	14.8	3.0	140	
84742	100.0%	0.0%	2.1	1.6	8	
84760	100.0%	0.0%	1.8	1.5	2	
84761	72.2%	27.8%	28.3	3.9	18	
Iron	84.3%	15.7%	28.3	2.4	516	
JUAB						
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests	
84628	71.4%	28.6%	6.8	3.5	7	
84639	60.0%	40.0%	12.3	5.9	5	
84645	37.9%	62.1%	61.0	6.9	58	
84648	47.6%	52.4%	18.1	5.7	42	
Juab	44.6%	55.4%	61.0	6.2	112	
KANE						
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests	
84710	100.0%	0.0%	1.0	1.0	1	
84729	0.0%	100.0%	7.1	7.1	2	
84741	72.4%	27.6%	30.8	3.9	87	
84755	0.0%	100.0%	26.1	24.7	4	
84758	100.0%	0.0%	3.7	3.7	1	
84762	80.0%	20.0%	4.6	2.4	5	
Kane	69.0%	31.0%	30.8	4.7	100	
MILLARD						
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests	
84624	93.9%	6.1%	8.0	2.4	33	
84631	65.2%	34.8%	10.0	3.5	23	
84635	100.0%	0.0%	2.2	2.0	2	
84636	100.0%	0.0%	0.9	0.9	1	
84637	71.4%	28.6%	6.0	3.1	7	
84638	50.0%	50.0%	7.3	4.7	2	
84640	100.0%	0.0%	1.4	1.4	1	
84644	50.0%	50.0%	7.7	5.2	2	
84649	85.7%	14.3%	6.2	2.4	7	
84656	0.0%	100.0%	9.9	9.9	1	
Millard	79.7%	20.3%	10.0	2.9	79	
MORGAN						
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests	
84018	33.3%	66.7%	200.0	39.8	6	
84050	47.8%	52.2%	41.1	5.8	272	
Morgan	47.5%	52.5%	200.0	6.6	278	

PIUTE						
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests	
84723	100.0%	0.0%	3.1	1.8	4	
84740	100.0%	0.0%	1.8	1.8	1	
84750	50.0%	50.0%	23.5	6.3	6	
Piute	72.7%	27.3%	23.5	4.2	11	
RICH						
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests	
84028	85.7%	14.3%	14.8	2.9	14	
84038	0.0%	100.0%	30.8	11.3	12	
84064	66.7%	33.3%	21.2	4.5	12	
84086	100.0%	0.0%	2.2	2.2	1	
Rich	53.8%	46.2%	30.8	6.0	39	
SALT LAKE						
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests	
84006	34.4%	65.6%	81.0	12.9	61	
84009	64.6%	35.4%	24.8	4.1	370	
84020	65.0%	35.0%	86.0	4.5	1515	
84044	58.2%	41.8%	20.7	4.3	225	
84047	69.0%	31.0%	35.0	3.6	520	
84065	47.2%	52.8%	130.3	6.1	1308	
84070	87.4%	12.6%	152.6	2.3	3244	
84081	68.7%	31.3%	54.2	4.2	556	
84084	59.7%	40.3%	40.0	4.4	568	
84088	53.3%	46.7%	30.7	4.9	585	
84090	53.1%	46.9%	280.0	16.9	32	
84091	71.4%	28.6%	7.9	2.8	14	
84092	57.6%	42.4%	152.0	5.3	1944	
84093	44.5%	55.5%	90.8	7.2	1816	
84094	73.8%	26.2%	40.7	3.3	823	
84095	55.5%	44.5%	99.8	5.0	1817	
84096	57.6%	42.4%	250.0	5.5	1131	
84101	80.6%	19.4%	7.7	2.1	31	
84102	69.9%	30.1%	56.9	4.2	332	
84103	77.4%	22.6%	70.2	3.4	678	
84104	70.9%	29.1%	31.8	3.6	158	
84105	62.5%	37.5%	27.4	3.9	1142	
84106	77.3%	22.7%	42.7	3.1	2474	
84107	74.4%	25.6%	31.1	3.3	558	
84108	81.4%	18.6%	27.3	2.7	898	
84109	65.1%	34.9%	50.1	4.0	1088	
84110	73.3%	26.7%	22.6	4.0	30	
84111	60.5%	39.5%	40.6	4.3	162	
84112	90.9%	9.1%	6.0	1.5	11	
84113	100.0%	0.0%	3.9	1.8	4	
84114	59.5%	40.5%	54.4	7.3	121	
84115	65.8%	34.2%	47.7	3.7	319	
84116	76.4%	23.6%	36.4	3.2	259	
84117	65.2%	34.8%	86.1	4.3	715	
84118	74.6%	25.4%	85.4	3.5	472	
84119	73.8%	26.2%	21.4	2.9	317	
84120	63.9%	36.1%	140.5	4.1	360	
84121	71.5%	28.5%	50.0	3.7	1881	
84122	100.0%	0.0%	3.0	2.6	2	
84123	71.5%	28.5%	33.5	3.4	613	
84124	63.1%	36.9%	43.1	4.3	975	
84125	100.0%	0.0%	2.8	2.3	2	
84126	0.0%	100.0%	4.3	4.3	1	
84127	66.7%	33.3%	6.9	4.1	3	
84128	67.7%	32.3%	36.5	3.8	220	

84129	67.6%	32.4%	22.0	3.8	210
84130	100.0%	0.0%	1.9	1.1	3
84138	100.0%	0.0%	1.4	1.4	1
84145	0.0%	100.0%	7.4	7.2	2
84147	75.0%	25.0%	7.8	3.1	4
84151	0.0%	100.0%	4.1	4.1	1
84152	75.0%	25.0%	18.4	3.7	24
84157	71.4%	28.6%	7.0	3.1	7
84158	82.4%	17.6%	8.8	2.3	17
84165	50.0%	50.0%	5.2	4.5	2
84170	80.0%	20.0%	10.3	3.1	5
84171	63.3%	36.7%	27.8	5.2	60
84184	0.0%	100.0%	11.6	11.6	1
Salt Lake	66.8%	33.2%	280.0	4.2	30692
<b>SAN JUAN</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84511	89.0%	11.0%	13.5	1.8	155
84512	100.0%	0.0%	0.8	0.8	1
84530	71.4%	28.6%	12.7	4.4	7
84531	100.0%	0.0%	1.3	1.3	1
84533	100.0%	0.0%	0.1	0.1	2
84535	56.0%	44.0%	21.0	4.5	207
San Juan	70.5%	29.5%	21.0	3.4	373
<b>SANPETE</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84621	33.3%	66.7%	9.2	7.3	3
84622	50.0%	50.0%	8.6	4.3	8
84623	50.0%	50.0%	6.1	3.8	2
84627	40.2%	59.8%	25.1	6.6	107
84629	33.3%	66.7%	34.2	8.6	39
84630	33.3%	66.7%	6.3	4.6	3
84632	46.7%	53.3%	21.7	6.6	15
84634	38.7%	61.3%	32.0	7.5	31
84642	45.7%	54.3%	33.7	6.2	35
84643	37.5%	62.5%	8.7	4.2	8
84646	77.8%	22.2%	6.4	2.7	9
84647	65.2%	34.8%	11.1	3.6	46
84662	46.7%	53.3%	9.3	4.4	15
84665	100.0%	0.0%	3.6	1.7	3
84667	25.0%	75.0%	7.6	4.3	4
Sanpete	45.4%	54.6%	34.2	6.0	328
<b>SEVIER</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84620	62.5%	37.5%	4.9	2.9	8
84652	100.0%	0.0%	2.9	1.4	6
84654	63.6%	36.4%	8.6	4.1	11
84657	0.0%	100.0%	7.0	7.0	1
84701	63.4%	36.6%	31.3	4.1	112
84711	33.3%	66.7%	7.4	4.6	6
84724	100.0%	0.0%	2.6	1.8	5
84730	28.6%	71.4%	37.2	13.2	14
84739	25.0%	75.0%	9.0	5.7	4
84754	23.9%	76.1%	101.3	22.1	71
84766	100.0%	0.0%	2.0	1.6	3
Sevier	50.2%	49.8%	101.3	9.8	241

SUMMIT						
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests	
84017	66.1%	33.9%	33.0	4.9	62	
84024	100.0%	0.0%	0.8	0.8	1	
84033	54.5%	45.5%	11.0	3.8	11	
84036	54.5%	45.5%	34.0	5.6	101	
84055	56.0%	44.0%	18.3	4.8	25	
84060	66.0%	34.0%	47.2	4.5	406	
84061	41.7%	58.3%	10.8	4.4	12	
84068	62.6%	37.4%	43.2	4.7	91	
84098	63.8%	36.2%	375.8	5.7	820	
Summit	63.4%	36.6%	375.8	5.2	1529	
TOOELE						
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests	
84022	100.0%	0.0%	3.2	1.1	17	
84029	41.1%	58.9%	98.1	9.5	207	
84034	86.4%	13.6%	11.4	2.3	22	
84069	0.0%	100.0%	7.4	7.4	1	
84071	79.2%	20.8%	12.1	3.3	24	
84074	64.1%	35.9%	63.0	4.5	1399	
84083	100.0%	0.0%	3.0	2.7	2	
Tooele	62.1%	37.9%	98.1	5.1	1672	
UINTAH						
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests	
84026	100.0%	0.0%	2.9	1.2	6	
84035	36.4%	63.6%	31.8	11.3	11	
84039	66.7%	33.3%	4.1	1.8	3	
84076	42.9%	57.1%	13.4	7.7	7	
84078	65.5%	34.5%	40.5	4.0	423	
84079	100.0%	0.0%	1.6	1.2	6	
84085	60.0%	40.0%	34.7	11.6	5	
Uintah	65.3%	34.7%	40.5	4.2	461	
UTAH						
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests	
84003	56.2%	43.8%	173.7	5.3	1624	
84004	54.2%	45.8%	77.3	6.6	603	
84005	76.8%	23.2%	76.9	3.1	466	
84013	100.0%	0.0%	3.8	2.8	4	
84042	65.4%	34.6%	45.1	5.2	280	
84043	67.0%	33.0%	129.5	4.1	1465	
84045	77.2%	22.8%	135.9	3.3	712	
84057	71.5%	28.5%	358.9	4.5	648	
84058	86.1%	13.9%	47.8	2.4	454	
84059	95.6%	4.4%	24.6	1.8	68	
84062	59.3%	40.7%	54.6	5.1	1156	
84097	62.8%	37.2%	26.2	4.3	592	
84601	74.2%	25.8%	31.4	3.2	287	
84602	56.3%	43.8%	24.3	7.6	16	
84603	71.4%	28.6%	4.2	2.5	7	
84604	54.1%	45.9%	153.9	6.5	893	
84605	37.5%	62.5%	9.1	4.9	8	
84606	77.0%	23.0%	16.5	2.8	265	
84626	66.7%	33.3%	5.7	3.3	3	
84633	95.5%	4.5%	4.0	0.9	22	
84651	68.9%	31.1%	481.4	6.2	472	
84653	69.5%	30.5%	36.9	3.7	275	
84655	46.2%	53.8%	41.0	7.1	93	
84660	80.4%	19.6%	21.2	2.4	643	
84663	58.9%	41.1%	178.2	6.1	666	
84664	61.0%	39.0%	68.1	5.6	333	

Utah	65.5%	34.5%	481.4	4.7	12055
<b>WASATCH</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84032	30.5%	69.5%	123.0	10.3	881
84049	43.6%	56.4%	103.9	9.9	298
84082	50.0%	50.0%	21.4	7.2	14
Wasatch	34.1%	66.0%	123.0	10.2	1193
<b>WASHINGTON</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84722	66.7%	33.3%	15.8	5.1	6
84725	100.0%	0.0%	3.6	2.1	8
84737	85.1%	14.9%	13.9	2.1	47
84738	97.2%	2.8%	4.0	1.7	36
84745	75.0%	25.0%	31.9	4.8	28
84746	86.7%	13.3%	8.0	2.4	15
84757	65.6%	34.4%	14.5	3.9	32
84763	50.0%	50.0%	10.4	5.8	4
84765	91.9%	8.1%	8.1	1.8	37
84767	62.5%	37.5%	4.7	3.2	8
84770	93.2%	6.8%	11.8	1.8	207
84771	100.0%	0.0%	0.8	0.5	3
84774	80.0%	20.0%	15.0	2.8	10
84779	50.0%	50.0%	5.9	3.8	2
84780	93.5%	6.5%	27.4	2.0	77
84781	100.0%	0.0%	1.5	1.3	2
84782	100.0%	0.0%	0.8	0.8	1
84783	80.0%	20.0%	10.2	2.9	10
84784	100.0%	0.0%	1.3	0.7	3
84790	87.9%	12.1%	12.7	2.2	257
84791	100.0%	0.0%	1.3	0.9	4
Washington	88.3%	11.7%	31.9	2.2	797
<b>WAYNE</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84715	50.0%	50.0%	18.8	5.7	8
84734	0.0%	100.0%	5.1	5.1	1
84747	47.1%	52.9%	117.5	11.8	17
84749	100.0%	0.0%	0.5	0.5	2
84773	33.3%	66.7%	15.9	8.0	6
84775	71.4%	28.6%	25.6	5.6	14
Wayne	54.2%	45.8%	117.5	7.9	48
<b>WEBER</b>					
<b>ZIP CODE</b>	<b>&lt;4 pCi/L</b>	<b>&gt;=4 pCi/L</b>	<b>Maximum</b>	<b>Average</b>	<b>Total Tests</b>
84067	94.4%	5.6%	19.4	1.8	161
84201	100.0%	0.0%	1.3	0.7	5
84310	38.2%	61.8%	152.4	12.1	285
84315	88.5%	11.5%	21.8	2.2	78
84317	44.3%	55.7%	98.4	9.7	88
84401	86.0%	14.0%	15.6	2.2	278
84402	20.0%	80.0%	15.4	7.5	5
84403	73.0%	27.0%	53.5	3.5	622
84404	66.7%	33.3%	144.4	5.1	430
84405	72.1%	27.9%	23.1	3.3	412
84408	100.0%	0.0%	1.3	1.0	3
84409	50.0%	50.0%	8.3	5.4	2
84412	50.0%	50.0%	18.9	7.6	4
84414	51.8%	48.2%	27.1	5.3	575
84415	100.0%	0.0%	3.4	2.7	5
Weber	66.4%	33.6%	152.4	4.8	2953